

TOLL FREE: 1-800-678-2721

TEL: 631-499-0883 FAX: 631-499-6885

Cable Splicing

Home About B.S. Barnard Order Form Products / Services Cable Splicing Man Hole / Duct / Safety Soldering New Products

Cable Splicing

Please click on the pictures below for more information about each supply



Lead Scraper



File Cards



Soldering Copper with Handle



Catchpan



Flexible Steel Mandrel



Utility Splicing Wrench



Wood Lead Dresser



Snakes Tail Mandrel



Swinglinks



Solder



Wiping Cloths



Cable Splicers Mirror



Flux



Solder Pot



Balanced Solder Ladle



Torch



Temperometer



Furnace Guard

6/28/2002







Safety Compound Kettle



Furnace-Plumbers Tank Mount

Lead Scraper

The lead scraper, also known as a shave hook is equipped with easily interchangeable blades.
Blade Types include:
Type A.-Oval, Type B-Half Oval,
Type C- Triangle.





Barnard #13904



File Cards

The wood handled d file card is used to prepare lead cable sheaths for soldering. it can also be used to clean files.



Barnard #2080PY

Soldering Copper with Handle Sizes available: 2,2-1/2,3,4,5,6 inches.





Barnard #1160B281217



Catchpan

The 12 x 17 inch catch pan is perfect for Collecting oil, solder, wax drippings. The pan has folding loop handles on each end.



Barnard #17310488

Flexible Steel Mandrel

Used in extremely bent conduits, the Hardened steel disks of graduated sizes are strung on flexible steel cable. This mandrel efficiently clears obstructions from the conduit. Sizes:1-3/4 inches to 6 inches in 1/4 inch increments.





Barnard #2331US1



for every linemans and splicers tool kit.

Utility Splicing Wrench

This alloy steel drop forged wrench with dielectric handles provides powerful hand leverage for splicing. This quick action adjustable wrench, also known as an Eagle Beak, is necessity



Wood Lead Dresser

Made from selected hardwood the wood lead dresser is ideal for forming and dressing cable.



Barnard #1732

Snakes Tail Mandrel

The Snake's tail mandrel follows the snake through conduit to insure the clear passage of wire or cable.

Available for conduit sizes: 1-1/4, 1-1/2,2,3,4,5,6 inches.





Barnard #1281150



Swinglinks

Use for pulling wire through conduit and wherever you need a fast simple connector not subject to heavy



Solder

The bar solder and wire solder are made of highly refined virgin base metals. Each one pound bar and spool is clearly marked indicating its tin: lead content. Wire solder is Available in 1/8 or 1/16 diameters.



0

Barnard #22700



Wiping Cloths

The wiping cloths, made of top Quality ticking are designed to perfectly wipe joints on lead sheathed cable splices. These ready to use cloths require no breaking in.

Available in flat or formed.

Sizes: 2 x 2 to 12 x 12-Flat

2 x 2 to 4x 4 Formed



Barnard #17601

Cable Splicers Mirror

When space constraints limit routine examination of the opposite end of a spliced or wiped joint, the plated splicing mirror in its protective $3-1/2 \times 3-1/2$ inch rubber frame does the trick.





Flux



Stearine Sticks: The wickless candle form is easily applied by rubbing. NOKORODE PASTE: Applied with an acid brush, this flux comes in paste form.

0

Barnard #1980398

Solder Pot

The cast iron pot equipped with a free swinging handle fits inside the furnace guard. Sizes: 5,6,7,8,9 10 inches.





Barnard #1990312

Balanced Solder Ladle



The balanced solder ladle, with its forged steel double lipped bowel and wooden handle, pours a steady stream of molten solder with ease and precision.



Barnard #18634

Torch

Designed for use with liquid propane gas, the torch attaches directly to the service hose.



Complete line available.



Barnard #1910T



Temperometer

Exceptionally rugged yet lightweight, the temperormeter accurately registers the correct temperatures of molten solder, wax and other compounds. It is equipped with a large easy to read Dial and a convenient handle.



Barnard #1470678

Furnace Guard

A heavy gauge steel shield and a cast iron base assure its long life. The furnace guard fits on top of the furnace.





Barnard #1590S



This hose, complete with fittings and a cylinder connector, withstands full pressures under severe conditions.

Sizes 3, 6, 12, 24, 50 feet.

0

Barnard #12201

Safety Compound Kettle

The double jacketed steel kettle, with all of its parts brazed, is scientifically designed to maintain a uniform heat throughout the compounds to be melted. It also has a double ring on its bail to raise or lower the kettle for aerial and manhole work.

Size: 5 quarts.



6

Barnard #14601200



Furnace-Plumbers Tank Mount

The furnace attaches directly to a plumbers pot valve at the top of the cylinder to form a completely portable and convenient melting assembly.





Toll Free: **1-800-678-2721**Tel: **631-499-0883**Fax: **631-499-6885**

0

Complete line available.



Barnard #1910T



Temperometer

Exceptionally rugged yet lightweight, the temperormeter accurately registers the correct temperatures of molten solder, wax and other compounds. It is equipped with a large easy to read Dial and a convenient handle.



Barnard #1470678

Furnace Guard

A heavy gauge steel shield and a cast iron base assure its long life. The furnace guard fits on top of the furnace.





Barnard #1590S



This hose, complete with fittings and a cylinder connector, withstands full pressures under severe conditions.

Sizes 3, 6, 12, 24, 50 feet.